

1. Supply, delivery and installation of kraals material for Mnquma Feedlot

Delivery address: Hobeni Administration Area

GPS Coordinates: 32°20'S 28°09'E

Contact person for directions: Mr. Mandla Bokwe

| Items Description | Size | Quantities |
|----------------------------------|--------------------------------|------------|
| 2.4 m treated poles | 100-120mm | 300 |
| 6m treated poles | 75-100mm | 80 |
| Steel I-Beams (130mm) | 6m | 25 |
| 76 X 75 Square tubes (2mm thick) | 6m | 25 |
| 10 X 50 lip channel | 9m | 72 |
| 50 steel round pipe (2mm thick) | 6m | 22 |
| 32 X32 square cube (2mm thick) | 6m | 10 |
| IBR Sheets (0.4) | 3.6m | 160 |
| Mounting and binding material | | |
| Steel rods | 12mm(6m) | 40 |
| Cement (All purpose) | 50kg | 350 |
| Plain Wire | 75mm X 50 kg | 5 |
| Plain Wire | 100mm X 50 kg | 2 |
| River sand | Cubes | 90 |
| Crush stone | Cubes | 75 |
| Crusher dust | Cubes | 30 |
| Drinking troughs | 3m | 5 |
| Welded mash | 3.6 X m (wide) 120 (length) | |
| Gutters (galvanized) | | 120 m |
| Horizontal tanks | 2 500L | 2 |



Supply, delivery fencing materials and installation of the fence at Mnquma Feedlot

| Items description | Quantity or process |
|---------------------------------|---------------------|
| 2.4 m Treated poles (100-120mm) | 100 |
| | |
| Droppers | 500 |
| Galvanized Barbed wire (600m) | 20 rolls |
| Cement (all purpose) | 60 |
| River sand (cubic metres) | 30 |
| Crush stone (19mm) | 40 Tones |
| Plain wire (5mm) | 20m |
| 3 m farm gates (galvanized) | 2 |
| Pedestrian farm gate (1.8m) | 1 |



2. Supply, delivery of kraals/roof materials and repairs the kraals for Ngangegqili Feedlot

Delivery address: Sundwana Administrative Area

GPS Coordinates: -32°030398593025 "S, 28°536538369953632 "E

Contact person for directions: Ms. Kuhle Maganda

| Items Description | Size | Quantities |
|----------------------------------|----------|------------|
| Steel I-Beams (130mm) | 6m | 25 |
| 76 X 75 Square tubes (2mm thick) | 6m | 25 |
| 10 X 50 lip channel | 9m | 72 |
| 50 steel round pipe (2mm thick) | 6m | 22 |
| 32 X32 square cube (2mm thick) | 6m | 10 |
| IBR Sheets (0.4) | 3.6m | 80 |
| Mounting and binding material | | |
| Steel rods | 12mm(6m) | 40 |
| Cement (All purpose) | 50kg | 30 |
| River sand | Cubes | 30 |
| Crush stone | Cubes | 75 |
| Gutters (galvanized) | | 90 m |



3. Supply, delivery of kraals materials and installation the repair at Njiveni Feedlot

Delivery address: Njiveni Location

GPS Coordinates: -31.568769, 29.124840

Contact person for directions: Ms. Ntombenkosi Zaza

| Items Description | Quantity |
|--|----------|
| Threaded Rod galvanized 20mm X 1m | 20 |
| Threaded Rod galvanised 16mm X 1m | 20 |
| Nut Hex ZN Plated 20mm | 8 |
| Nut Hex ZN Plated 16mm | 8 |
| Washer Flat Small ZP 20mm | 4 |
| Drill Bit Auger 16 X 30mm | 1 |
| Barbed Wire 2.5mm x 35 kg | 3 |
| Nail Roof & Sael 6.6 X 120 mm | 10 |
| B & D hammer Drill 710 W 13mm Chuck+ Box | 1 |
| Nett wire PG 4FT (1.2M) 50m | 3 |
| Timber 50 X 152 6m Beam Treated | 16 |
| Pole Green 3.0 100 X 125 | 20 |
| Brick Plaster Mampara | 2000 |
| Wire Steel Fixing 1.6 50kg | 1 |
| Cement Afrisam Blue 50kg 42.5N | 50 |
| Water Tank 2200 L | 1 |
| TA Garden 3/4 L/P BRS | 1 |
| Tap Tank Bush 40 X 20mm Plastic | 1 |
| Deliveries 8 Ton Zone 2 | 1 |
| Stone 19mm Per Ton | 16 |
| Sand per Cubic metre | 16 |
| PVC Ball Valve 25mm | 1 |
| Plasson fitting 25mm X 25 m / Adaptor | 2 |
| Ball Float Valve L/P Brass | 1 |
| Pump DKM 80 | 1 |
| Copper Conex Elbow 90 OXC 28mm | 1 |
| Toilet Ball Float 110mm | 1 |
| Tap Lock painted | 1 |



| Copper Conex Coupler OXFI 22mm | 1 |
|--------------------------------|---|

4. Supply and delivery of fencing materials and installation of the fence at Walter Sisulu Feedlot

Delivery address: Alwal North

GPS Coordinates: 30°40'39.917 "S 26°44'52.961 "E

Contact person for directions: Ms Zukiswa Sphofana and Mpumelelo Gaba

| Item | Quantity or process |
|---------------------------------|---------------------|
| 2.4 m Treated poles (100-120mm) | 100 |
| Droppers | 500 |
| Galvanized Barbed wire (600m) | 20 rolls |
| Cement (all purpose) | 60 |
| River sand (cubic metres) | 30 |
| Crush stone (19mm) | 40 Tones |
| Plain wire (5mm) | 20m |
| 3 m farm gates (galvanized) | 2 |
| Pedestrian farm gate (1.8m) | 1 |



5. Supply and delivery of roofing & booster structure materials and installation for Elundini Feedlot

Delivery address: Maclear

GPS Coordinates: -31.045194, 28.351458

Contact person for directions: Mr. Mandla Bokwe

Roofing Materials

| Item Descriptions | Size | Quantity |
|---|------|----------|
| IBR Sheets (0.4) | 3.6m | 50 |
| mounting and binding material to be supplied by the service | | |
| provider. | | |

Booster structure Materials

| Item Descriptions | Size | Quantity |
|---|------|----------|
| IBR Sheets (0.4) | 3.6m | 20 |
| mounting and binding material to be supplied by the service provider. | | |